# VEER SURENDRA SAI UNIVERSITY OF TECHNOLOGY, BURLA, ODISHA-768018 QUOTATION CALL NOTICE

### VSSUT/C.Maint./9818

Dated:27.10.2014

Sealed quotations in double cover system are invited by the undersigned from registered firms/ suppliers having up to date Sales Tax/ Income Tax clearance for the work "Installation of Close Circuit Television(CCTV) Camera in VSSUT, Burla", as per the details given in University website on or before. 01.12.2014. Quotation received after the due date are liable to be rejected. The quotation documents can be downloaded from the University website <a href="https://www.vssut.ac.in">www.vssut.ac.in</a> from 29.10.2014.

The down loaded documents duly filled in with EMD and photo copies of VAT clearance certificate/TIN No. and PAN No. are to be submitted as mentioned in terms and condition.

The sealed quotation mentioning the name of work on the top of the envelope will be received up to 3.00 PM on 01.12.2014 by speed post/regd. post only. The quotation will be opened on 05.12.2014 at 3.00 PM in the office of the Comptroller of Finance in presence of supplier or their authorized representatives, if any.

Sd./-Comptroller of Finance

### Memo No. VSSUT/C.Maint./

Dated:

# Copy forwarded to:

- 1. The Executive Engineer, (R&B) Division, Bargarh / The Executive Engineer, Main Dam Division, Burla./The Executive Engineer, Electrical Division, Sambalpur / The Executive Engineer, PH Division, Sambalpur/The Registrar, Sambalpur University, / The Principal, VSS MCH, Burla/ The Executive Officer, NAC, Burla with a request to display the notice on their Notice Board.
- 2. The Accounts Section / VC's secretariat / Estt. Section / University Notice Board of VSSUT, Burla
- 3. M/S. Display Lines, 219, Saheed Nagar, Bhubaneswar 751007 with a request to publish the advertisement in one issue of the all Odia daily edition of "The SAMAJ" and in the National edition of "The Indian Express" using minimum space at the I&PR approved/lowest rates. The bill may be sent in triplicate along with a copy of the paper in which the publication is made.
- 4. Prof. In-charge, University website for uploading the quotation call notice and documents latest by 29.10.2014

Comptroller of Finance

# <u>VEER SURENDRA SAI UNIVERSITY OF TECHNOLOGY, ODISHA, BURLA</u> QUOTATION CALL NOTICE

VSSUT/C.MAINT./9818

DATED 27.10.2014

Sealed quotations in double cover system are invited by the undersigned from registered firms/ suppliers having up to date Sales Tax/ Income Tax clearance for the work "Installation of Close Circuit Television(CCTV) Camera in VSSUT, Burla", as per the details given below on or before. 01.12.2014. Quotation received after the due date are liable to be rejected.

	rejected.	0.	D :	T .
S.	Description of items	Qty.	Rate	Amount
N. 1	Supplying and Installation of 4 Channel H.264 stand alone digital video recorder(DVR) ,3G USB Dongle Supported ,Recording Mode: 4CH Full WD1 (960H) real time,4CH video/4CH Audio, Video output-1CH TV Output ,1CH VGA Output ,1*HDMI(1080P),VGA Resolution Support:1280*1024,Control Mode-Front panel, USB mouse, remote control, Keyboard, Network ,Pentaplex-Live recording, Playback, Backup, Remote access, PTZ control, Mobile monitoring, HDD Capacity-Up to 2TB,SATA Interface HDD*2,Backup-USB DISK, Network, Upgrade-USB DISK, Network, Working environment10 ?~+55 ?/10~90%RH/86~106Kpa, Mobile phone Support iPhone, Mac, Symbian OS, Blackberry and Android Mobile phone ,Video Frame: PAL: 25fps, NTSC: 30fps,Dual stream: supported, Audio compression: G.711A,Playback: 1/4 CH at the same time, Digital Zoom: Live & Playback: Network-TCPIP/UDP/DHCP/DDNS/PPPoE,RJ45 10M/100M,Support CMS LAN and WAN ,Chrome browser support with Displays voltage cut-off, Displays voltage supply - Auto Restoration, Rescues electrical appliance from break-down, Insurance against power fluctuation including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 Channel H.264 stand alone digital video recorder(DVR)	3 Set		
	,3G USB Dongle Supported ,Recording Mode: 8CH Full D1 real time,8CH video/8CH Audio, Video output-1CH TV Output ,1CH VGA Output ,1*HDMI(1080P),VGA Resolution Support:1280*1024,Control Mode-Front panel, USB mouse, remote control, Keyboard, Network , Pentaplex-Live recording, Playback, Backup, Remote access, PTZ control, Mobile monitoring, HDD Capacity-Up to 2TB,SATA Interface HDD*2,Backup-USB DISK, Network, Upgrade-USB DISK, Network, Working environment10 ?~+55 ?/10~90%RH/86~106Kpa,Mobile phone Support iPhone, Mac, Symbian OS, Blackberry and Android Mobile phone ,Video Frame: PAL: 25fps, NTSC: 30fps,Dual stream: supported, Audio compression: G.711A,Playback: 1/8 CH at the same time, Digital Zoom: Live & Playback: Network-TCPIP/UDP/DHCP/DDNS/PPPoE,RJ45 10M/100M,Support CMS LAN and WAN ,Chrome browser support with Displays voltage cut-off, Displays voltage supply - Auto Restoration, Rescues electrical appliance from break-down, Insurance against power fluctuation including all etc. complete or as directed by the E.I.C.	2 Set		
3	Supplying and Installation of 16 Channel H.264 stand alone digital video recorder(DVR) ,3G USB Dongle Supported ,Recording Mode: 16 CH Full D1 real time,16 CH video, Video out put-1CH TV Output ,1CH VGA Output ,1*HDMI(1080P),VGA Resolution Support:1280*1024,Control Mode-Front panel, USB mouse, remote control, Keyboard, Network, Pentaplex-Live recording, Playback, Backup, Remote access, PTZ control, Mobile monitoring, HDD Capacity-Up to 2TB,SATA Interface HDD*4,Backup-USB DISK, Network, Upgrade-USB DISK, Network, Working environment10 ?~+55 ?/10~90%RH/86~106Kpa,Mobile phone Support iPhone, Mac, Symbian OS, Blackberry and Android Mobile phone ,Video Frame: PAL: 25fps, NTSC: 30fps,Dual stream: supported, Audio compression: G.711A,Playback: 1/8 CH at the same time, Digital Zoom: Live & Playback: Network-TCPIP/UDP/DHCP/DDNS/PPPoE,RJ45 10M/100M,Support CMS LAN and WAN ,Chrome browser support with Displays voltage cut-off, Displays voltage supply - Auto Restoration, Rescues electrical appliance from break-down, Insurance against power fluctuation including all etc. complete or as directed by the E.I.C	2 Set		
4	Supplying and Installation of 1/3" Sony Exmor CMOS Electronic Rolling Shutter IR Dome Camera, Resolution 1000 TVL+OSD True Day Night, Lens Furnished-2.8~12mm Megapixel Varifocal Lens, Gain Control-OSD Control, OSD / 2D -NR/ WDR,IR Distance-12 MIL/ 20 mtr., Low Light illumination, Minimum Illumintion-F1.2, 0.01 Lux, Backlight Compensation, White Balance, Camera Pixels-PAL: 1280(H)X 720(V),S/N Ration->46db (AGC Off),with Displays voltage cut-off, Displays voltage supply - Auto Restoration, Rescues electrical appliance from break-down, Insurance against power fluctuation including all etc. complete or as directed by the E.I.C	10 Nos.		

<u>Supplier</u> <u>Comptroller of Finance</u>

	AWG, UTP Non Plenum cable jacket. Mechanical Characteristics 4 twisted pairs separated by internal X shaped,4 channel, polymer spine / full separator, Conductor Solid Copper, Conductor Diameter, 56+0.005mm (23, AWG). Insulator Polyolefin, Jacket			
	Copper, Conductor Diameter .56±0.005mm (23 AWG), Insulator Polyolefin, Jacket	3500		
	PVC, Outer Diameter 6.0±0.4mm, Max. Temperature 75°C. AT 5 UTP Cable including	3500		
	_			
	PVC, Outer Diameter 6.0±0.4mm, Max. Temperature 75°C. AT 5 UTP Cable including			
		3500		
		3500		
		2500		
		2500		
		3500		
		3500		
		2500		
		2500		
1		3500		
		3500		
	PVC, Outer Diameter 6.0±0.4mm, Max. Temperature 75°C. AT 5 UTP Cable including	3500		
	PVC, Outer Diameter 6.0±0.4mm, Max. Temperature 75°C. AT 5 UTP Cable including	3500		
	_			
	_			
	all etc. complete or as directed by the Engineer/In-Charge.	Meter		
	Lall etc. complete or as directed by the Engineer/In-Charge.	vierer		
		TVICTCI		
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300	IVICTO		
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300	Wictor		
11		TVICTO		
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge			
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave	12		
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave	12		
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.			
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.	12		
11	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM,	12		
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.	12		
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all	12 Nos.		
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.	12		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos.		
	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all	12 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all	12 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all	12 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY	12 Nos. 3 Set 3 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY	12 Nos. 3 Set 3 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount	12 Nos. 3 Set 3 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit ,interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation,	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation,	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation,	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.	Total	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.	Total	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.	Total	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.	Total	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.	Total Taxes	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos. 9 Nos.	Taxes	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos. 9 Nos.	Taxes	
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos. 9 Nos.		
12 13 14	Supplying and Installation of ups 1000 VA input rated voltage 230v,tolerence 140-300 v, frequency automatic selected, output 230 v protection overload, significant discharge and short circuit, interface USB technology vi "line interactive" with avr, step wave including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 3rd Generation Intel® Core <sup>TM</sup> i7, Windows PLATFORM, 2TB HDD (2 x HDD), 16GB Memory, DVD RW,KEYBOARD & MOUSE including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 40" LED DISPLY (SONY KLV40R482B) including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of POINT TO MUITI POINT WIRELESS CONNECTIVITY WITH ANTENNA including all etc. complete or as directed by the Engineer/In-Charge.  Supplying and Installation of 8 port giga switch fast Ethernet swatch, rack mount configurations with full rack width and internal power supply ,auto-speed negotiation, qos support-ieee802.1 p, flow control-ieee802.3x,fanless operation including all etc.	12 Nos. 3 Set 3 Nos. 6 Nos. 9 Nos.	Taxes	

<u>Supplier</u>

**Comptroller of Finance** 

### **Terms & Conditions:**

- 1. The quotations super scribing for "Installation of Close Circuit Television (CCTV) Camera in VSSUT, Burla of Maintenance section" will be received by Speed / Registered post only & the first cover will be opened on 05.12.2014 at 3.00 P.M. in the office chamber of the Comptroller of Finance in presence of the attending suppliers or their authorized representatives, if any.
- 2. The super scribing first cover must be submitted with Rs. 20,000/- (Rupees twenty thousand) only as EMD (Refundable) in shape of demand draft from any nationalized Bank drawn in favour of the Comptroller of the Finance, VSSUT Burla payble at SBI, Burla along with zerox copy of up to date sales tax clearance/, income tax clearance/PAN card & proof of experience from state/central government organization for valuation of credential. Any technical data/specification may be provided if required, in this cover.
- 3. The super scribing second cover must be submitted with rate/per unit along with amount & taxes as applicable in accordance with the format given in description of items only.
- 4. The Authority reserves the right to accept/reject any or all the quotation(s) without assigning any reason thereof.

**Comptroller of Finance** 

Memo No VSSUT/C.Maint/9819(14)

Date 27.10.2014

# Copy to:

- 1. The Executive Engineer, (R&B) Division, Bargarh / The Executive Engineer, Main Dam Division, Burla./The Executive Engineer, Electrical Division, Sambalpur / The Executive Engineer, PH Division, Sambalpur/The Registrar, Sambalpur University, / The Principal, VSS MCH, Burla/ The Executive Officer, NAC, Burla with a request to display the notice on their Notice Board.
- 2. The Accounts Section / VC's secretariat / Estt. Section / University Notice Board of VSSUT, Burla
- 3. M/S. Display Lines, 219, Saheed Nagar, Bhubaneswar 751007 with a request to publish the advertisement in one issue of the all Odia daily edition of The SAMAJ and in the National edition of The Indian Express using minimum space at the I&PR approved/lowest rates. The bill may be sent in triplicate along with a copy of the paper in which the publication is made.
- 4. Prof. In-charge, University website for uploading the quotation call notice and documents latest by 29.10.2014

**Comptroller of Finance**